

## BAVARIA 30 CRUISER



*T*HE NEW  
BAVARIA 30 CRUISER.  
IF YOU'RE GOING TO  
GET YOUR FEET WET,  
DO IT RIGHT.



**BAVARIA YACHTS**

# BAVARIA 30 CRUISER

The new Bavaria 30 Cruiser, the answer for the smaller yacht buyer.

31 feet overall, the 30 Cruiser has more displacement than the 32, and boasts more sail area on over two feet more mast height, indicating an even better sailing performance potential.

A fuller hull shape also allows for a larger relative interior volume that retains the same ample light and ventilation evident in all previous models.

The 30 Cruiser has that same "yacht" feel as all the other Bavaria Cruiser series models, taking full benefit of the lighter mahogany woodwork that is a signature of the new series Bavarias.

Add to all this the no compromise construction benefits obtained with the use of a full interior "grid" system and the 30 Cruiser is definitely a yacht whose cruising potential is as limitless as the imagination of the owner.



- Rich, new lighter colored mahogany interior finish featuring solid wood cabin and cabinet doors



- Large galley with gimballed two burner propane stove with oven and 12 Volt refrigeration



- Two cabins with double berths and enclosed lockers



- Double spreader Selden mast with pneumatic boom vang



- Large head with easy-care surfaces




- Kevlar reinforced bow sections for added safety





**BAVARIA YACHTS**

# BAVARIA 30 CRUISER



Length overall	31'
Length hull	30'
Length waterline	27'1"
Beam	10'9"
Draft standard	4'7"
Draft (deep option)	6'1"
Displacement	9,240 lbs.
Ballast	2,200 lbs.
Mainsail & genoa	555 sq. ft. (appx.)
Water tank	40 gal. (appx.)
Fuel tank	25 gal. (appx.)
Ht. of mast above waterline	46'3"



# BAVARIA 30 CRUISER

## 30 CRUISER STANDARD FITTINGS AND EQUIPMENT

### Hull & Deck

Hand-laid fiberglass, solid below the waterline  
Kevlar reinforced bow sections  
Side deck and coach roof with non-skid  
Stainless steel bow pulpit  
Stainless steel double pushpit  
Double lifelines  
Stainless steel bow fitting with anchor roller and chafe guard  
Four aluminum mooring cleats  
Two aluminum spring line cleats  
Two self-tailing halyard winches  
Two self-tailing genoa winches, two speed  
Winch handle  
Sheets and halyards led to cockpit  
Spinlock line clutches  
Self-draining anchor locker  
Large seat locker in cockpit  
Self-draining gas cylinder locker  
Cockpit shower (hot and cold)  
Stainless steel boarding ladder - telescoping  
Deck vent  
Electric bilge pump  
Manual bilge pump  
Cockpit table with storage  
Rail opening port and starboard  
[Teak decks and cockpit sole optional](#)

### Sails & Rigging

Double spreader Selden mast  
Headsail designed for furling system  
Choice of conventional, furling or fully battened main-sail  
Furlex furling system for headsail  
Selden adjustable boom vang

### Ballast

Modern profile cast iron keel

### Rudder

Steering pedestal with single lever engine controls  
Streamlined balanced rudder  
Rudder stock with self-adjusting bearings  
Emergency tiller  
Steering wheel with leather cover

### Electrical System

12 V panel with circuit breakers  
110 V shore supply  
110 V outlets  
Voltmeter  
Antenna and cable for VHF

### Navigation lights

Deck light  
Batteries: 1 x 55 Ah battery for starting  
1 x 140 Ah house battery  
24 Ah battery charger

### Interior

Varnished light mahogany interior  
Two cabins with double berths  
Salon with settee and large mahogany table  
Stowage space and lockers  
Chart table with large compartment for charts and instruments  
Chart table seat with stowage  
Bookshelf  
Gimbaled two burner propane stove with oven  
Icebox with 12 V refrigeration unit  
Stainless steel sink  
Galley stowage for dishes and pots  
Waste container with lid  
Three fire extinguishers  
Marine head with easy-care surfaces  
Shower with sump pump  
Manual toilet  
Holding tank with deck pump-out and overboard discharge  
Two opening hatches with roller blinds  
Six opening ports with curtains

### Fresh Water Supply

Water tank (appx. 40 gal.)  
Water level indicator  
Electric pressure water pump with filter  
Pressure hot water system

### Instruments

Raymarine ST 60 Wind  
Raymarine ST 60 Tridata (log, speedometer and depth)  
Pedestal mounted compass

### Engine

Volvo Penta D1-20, 18 hp with sail drive  
Fresh water cooling  
Operating hours meter  
Tachometer  
Fuel level indicator  
Fuel filter  
Seawater filter  
Fuel tank (appx. 25 gal.)

*Due to continued efforts to upgrade product, equipment, specifications and prices are subject to change without notice at any time.*